Optional Mat Shorting Plug (MSP) Device Instructions



The power of control, Automated.

MSP Device - PN: 23482900

The Optional MSP Device is used to simulate a 4-wire contact type safety mat. Its purpose is to fill unused quick disconnect 4-pin control box receptacles (PN: 0022693100) that are installed in the bottom section of the Zone Monitor QD series controllers. The control box will remain in a "stop" condition unless all quick disconnect control box receptacles have mats properly connected to them or the unused receptacles have the optional MSP Devices installed.

If your safety mat installation contains a number of safety mats less than the number of guick disconnect control box receptacles installed on your Zone Monitor control box, a MSP Device must be installed in each of the unused mat connector receptacles.

Misuse of the MSP Device may result in serious injury. The device is intended only to be used as described above. Never use the device as a bypass in place of an installed safety mat. This would defeat the purpose of the mat control device and allow a person to be in the hazardous area without being detected.

The MSP Device must be kept under strict supervisory control so it is not misused.



223-0143-000 Rev. B 5/19 WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEK Access Technologies

www.atekaccess.com



Access the power of technology.

©2019 ATEK Access Technologies, LLC. All Rights Reserved. Larco images and marketing materials are protected by various patents, copyrights and/or trademarks. ATEK assumes no responsibility for any errors which may appear in this document, reserves the right to change devices or specifications detailed herein at any time without notice, and does not make any commitment to update the information contained herein. No licenses to patents or other intellectual property of ATEK are granted by the Company in connection with the sale of Larco products, expressly or by implication.

Optional Mat Shorting Plug (MSP) Device Instructions



The power of control. Automated.

MSP Device - PN: 23482900

The Optional MSP Device is used to simulate a 4-wire contact type safety mat. Its purpose is to fill unused quick disconnect 4-pin control box receptacles (PN: 0022693100) that are installed in the bottom section of the Zone Monitor QD series controllers. The control box will remain in a "stop" condition unless all quick disconnect control box receptacles have mats properly connected to them or the unused receptacles have the optional MSP Devices installed.

If your safety mat installation contains a number of safety mats less than the number of guick disconnect control box receptacles installed on your Zone Monitor control box, a MSP Device must be installed in each of the unused mat connector receptacles.

Misuse of the MSP Device may result in serious injury. The device is intended only to be used as described above. Never use the device as a bypass in place of an installed safety mat. This would defeat the purpose of the mat control device and allow a person to be in the hazardous area without being detected.

The MSP Device must be kept under strict supervisory control so it is not misused.

223-0143-000 Rev. B 5/19



WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

ATEK Access Technologies

www.atekaccess.com



Access the power of technology.